1. Build and deploy the sample-app with 2.0.8:

CustomerBean.java | build.gradle | RewriteConfig.java

```
apply plugin: 'war'

repositories {
    mavenCentral()

    maven {
        url "https://repository.jboss.org/nexus/content/repositories/thirdparty-releases/"
    }
}

dependencies {
    def deltaspikeVersion = "0.5"
    providedCompile 'org.jboss.spec:jboss-javaee-6.0:3.0.2.Final'

    compile 'org.ocpsoft.rewrite:rewrite-servlet:2.0.8.Final'
    compile 'org.ocpsoft.rewrite:rewrite-integration-faces:2.0.8.Final'
    compile 'org.ocpsoft.rewrite:rewrite-integration-cdi:2.0.8.Final'


    //      Deltaspike
//  compile group: 'org.apache.deltaspike.core', name: 'deltaspike-core-api', version: deltas
//  compile group: 'org.apache.deltaspike.core', name: 'deltaspike-core-impl', version: delta
//  compile group: 'org.apache.deltaspike.modules', name: 'deltaspike-jsf-module-api', versio
//  compile group: 'org.apache.deltaspike.modules', name: 'deltaspike-jsf-module-impl', versi


}
```

2. Type the following url and press enter



3. parameter given in url is passed to customerId property:



4. Build and deploy app with 2.0.9:

5. Type the following url and press enter



6. parameter given in url is NOT passed to customerId property: